Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

IF UNDELIVERED RETURN TO

LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED



Sec. 562 P. L. & R.

u. s. POSTAGE

PAID

LOUISVILLE, KY.

PERMIT No. 60

Dept. of riculture, Washington, D. C.

PRICE LIST

Today's Most Important Mail

OUR GUARANTEE

IF ANY SHIPMENT OF SEEDS IS NOT AS GOOD AS SAMPLE OR BETTER; IF ANY SHIPMENT OF SEEDS IS NOT SOUND, CLEAN AND GOOD; IF WE DO NOT FULFILL EVERY WRITTEN OR VERBAL PROMISE; IN A WORD, IF YOU ARE NOT THOROUGHLY SATISFIED WITH GOLD MEDAL SEEDS SHIP THEM BACK IMMEDIATELY AT OUR EXPENSE. WE TAKE ALL RISK; WE STAND ALL THE COST.





Subject to immediate acceptance and market change we quote f.o.b. Louisville,

FEBRUARY 13th, 1937

Seeds Are Sold For Cash
T'erms: Draft with bill of lad-
ing attached. Open shipments
subject to sight draft within ten days.
DOMESTIC RED CLOVER PER 100 LBS 5 bags
Gold Medal \$41.50 \$41.00
Choice
Royal 37.00 36.50
DOMESTIC SAPLING CLOVER
Gold Medal \$42.50 \$42.00
Choice 40.50 40.00
Royal 38.00 37.50
ALSIKE
Gold Medal \$27.00 \$26.50
Choice 26.00 25.50
ALFALFA
Gold Medal Kansas U. S. Verified \$33.50 \$33.00
Gold Medal Oklahoma
U. S. Verified 30.50 30.00
CD WW ALDALDA
GRIMM ALFALFA Gold Medal
U. S. Verified \$34.50 \$34.00

SWEET CLOVER

KOREAN

. \$18.00

Gold Medal \$19.00 \$18.50

KOBE

Gold Medal \$20.50

Choice \$19.00

18.00

17.50

\$20.00 \$18.50

\$17.50

Gold Medal Wh. Blo. \$18.00 \$17.50

Gold Medal Yel. Blo.

Royal

arket change we quote 1.0.b. Louisville
TIMOTHY PER 100 LBS 1 to 4 5 bags
bags or more
Gold Medal \$7.75 \$7.50
Abe (99% pure) 7.50 7.25
Choice 7.25 7.00
Royal 6.75 6.50
Royal 0.75 0.50
•
ORCHARD GRASS
Gold Medal \$18.50 \$18.00
Choice 17.00 16.50
Dova! 15.75 15.05
Royal 15.75 15.25 Danish (90% pure) . 19.00 18.50
Danish (90% pure) . 19.00 18.50
KENTUCKY BLUE GRASS
Gold Medal \$18.50 \$18.00
Choice 18.00 17.50
Evtra Haavy 284 22 50 22 00
Extra Heavy 28# 23.50 23.00
RED TOP
Gold Medal \$19.50 \$19.00
Abe (90% pure) 19.00 18.50
Choice 18.00 17.50
Royal 17.50 17.00
Unhulled 9.00 8.50
DACTION MINTING
PASTURE MIXTURE
Contains Red Clover, Red Top, Tim-
othy, Orchard Grass. \$8.50 \$8.00
MISCELLANEOUS
Dwarf Essex Rape\$
Buckwheat 2.50
Vetch
Domestic Rye Grass 6.75
White Clover 30.00
White diver 50.00
VILL BE CHARGED FOR AT 50¢ PER 100

SCY BEANS 1 to 9 bags 10 bags or more
Early Yellow
Manchu Ask
Hollybrook
Black Ebony For
Black Wilson
Ind. Laredo Prices
COW PEAS
Whippourwill Ask
New Era For
Mixed Prices
SEED OATS
Winter Turf Ask
Burts For
New Victory Prices
LAWN GRASS PER 100 LES.
Shady Place
Gold Medal 27.00
Cherokee 24.00
In attractive one pound containers
packed thirty and fifty to a case.
Above grades in bulk \$2.00 cwt less.
SEED SOWERS EACH DOZEN
Cyclone \$1.75 \$20.00
Horn 60 6.90
GOLD MEDAL INOCULATOR

GOLD MEDAL INOCULATOR HIGH QUALITY HUMUS CULTURES

For SMALL SEEDS such as Alfalfa, Sweet Clover, Red, Mammoth, White and Alsike Clovers, Lespedeza.

36 Bushel size \$0.18

Bushel size 30

E 72	TAMOTICI STVC				.00
For	LARGE S	EEDS	such a	s Soyb	eans,
Cow	peas, Vetch	ies, Pea	as, Bea	ns.	
1	Bushel size			\$	0.18
2	Bushel size				.30
	Bushel size				
10	Bushel size	9			1.10
IMP	ORTANT:	State	size	of cul	tures
			C T	. 1	

wanted, also kind of seed that is to be inoculated.

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR AT 50¢ PER 100 LBS HIGHER THAN LIST PRICES.

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.



TACK UP FOR FUTURE REFERENCE



"He Reaps Most Who Sows Best"

Lbs. Per Bu. Lbs. Per Acre 47 Barley 75—100 60 Beans, Soy, drills 30—40 60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (hulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (hulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56
14 Bluegrass, Kentucky 21— 28 48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56
56 Corn 6— 12 56 Corn (for Silage) 40— 56
56 Corn (for Silage)40— 56
50 Millet All Verieties (for seed) 25 40
50 Millet, All Varieties (for hay)40— 50
32 Oats
14 Orchard Grass20— 30
60 Peas, Cowpeas (drills)45— 60
60 Peas, Cowpeas (broadcast)75—90
50 Rape (drill) 4— 8
50 Rape (broadcast) 8— 10
14 Red Top Fancy
14 Red Top (unhulled)10— 15
56 Rye56—112
25 Sudan Grass15— 25
45 Timothy10— 15
45 Timothy and Alsike 8— 10
60 Vetch, Hairy (drills)35—50
60 Vetch, Hairy (broadcast)
60 Wheat90—120

Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY